Author Index Vols. 691 and 692

Abbas, A.A. and Shelly, D.C.
Optical properties of axial-illumination flow cells for simultaneous absorbance–fluorescence detection in micro liquid chromatography 691(1995)37
Adams, A.G., see Ponder, G.W. 692(1995)173
Agnellini, D., see Pace, M. 691(1995)331
Aguilar, M.-I., see Xie, J. 691(1995)263
Anegayama, M., see Moriyama, H. 691(1995)81
Archer, J., see Jinno, K. 691(1995)91
Au, T., see Woolf, E. 692(1995)45
Baker, T.R., see Hayes, F.J. 692(1995)73
Banks, Jr., J.F.
Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325
Bayer, E., see Schmeer, K. 691(1995)285
Begum, B., see Hardcastle, J.E. 691(1995)225
Bertrand, M., see Schoefs, B. 692(1995)239
Biggin, M.E., Williams, R.L. and Vigh, G.
Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319
Blackwell, J.A., see Whitman, D.A. 691(1995)205
Bonetti, A., see Galletti, G.C. 692(1995)27
Boppana, V.K.
Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195
Bossle, P.C., see Oehrle, S.A. 692(1995)247
Bowers, L.D.
Foreword 691(1995)1
Boyes, B.E. and Walker, D.G.
Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337
Breier, J., see Freitag, R. 691(1995)101
Brennan, J.J., see Pullen, R.H. 691(1995)187
Buciński, A., see Nasal, A. 692(1995)83
Busch, K.L.
Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275
Buszewski, B., see Czajkowska, T. 691(1995)217
Butram, S.L., see Ponder, G.W. 692(1995)173
Camacho-Torralba, P.L. and Vigh, Gy.
High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213
Capparella, M., Foster III, W., Larrousse, M., Phillips, D.J., Pomfret, A. and Tuvim, Y.
Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141
Carlson, I.H., see Lensmeyer, G.L. 691(1995)239
Chen, A. and Lunte, C.E.
Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29
Chen, J.-G., Woltman, S.J. and Weber, S.G.
Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301
Chen, Y.-L., see Jinno, K. 691(1995)91
Cho, Y.J., see Hyun, M.H. 692(1995)91
Chong, R.W. and Moore, B.J.
Determination of citrate, inositol and gentisic acid in a pharmaceutical diagnostic formulation by ion-moderated partition chromatography 692(1995)203
Chow, K.K., see Ong, C.P. 692(1995)207
Chung, H.-C., see Hsu, M.-C. 692(1995)67
Claessens, H.A., see Kirkland, J.J. 691(1995)3
Clerc, J.-T., see Grogg-Sulser, K. 692(1995)121
Császár, J., see Schmeer, K. 691(1995)285
Cui, Y. and Olesik, S.V.
Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151
Czajkowska, T., Hrabovsky, I., Buszewski, B., Gilpin, R.K. and Jaroniec, M.
Comparison of the retention of organic acids on alkyl and alkylamide chemically bonded phases 691(1995)217
De Vos, F. and Slegers, G.
High-performance liquid chromatographic determination of (4-[^{11}C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97
Dinelli, G., see Galletti, G.C. 692(1995)27
Dobson, R.L.M., see Hayes, F.J. 692(1995)73
Dumont, P.J. and Fritz, J.S.
Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123
Dumont, P.J., see Fritz, J.S. 691(1995)133
Eriksson, B.-M., see Hedenmo, M. 692(1995)161
Fang, X., see Rosenfeld, J.M. 691(1995)231
Farkas, G., see Schmeer, K. 691(1995)285
Fiorini, M.
Preparative high-performance liquid chromatography for the purification of natural anthocyanins 692(1995)213
Fladung, N.C.
Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography–UV detection 692(1995)21
Forssmann, W.-G., see Schepky, A.G. 691(1995)255
Foster III, W., see Capparella, M. 691(1995)141
Freitag, R. and Breier, J.
Displacement chromatography in biotechnological downstream processing 691(1995)101

Fritz, J.S., Dumont, P.J. and Schmidt, L.W.
Methods and materials for solid-phase extraction 691(1995)133
Fritz, J.S., see Dumont, P.J. 691(1995)123
Galletti, G.C., Bonetti, A. and Dinelli, G.
High-performance liquid chromatographic determination of sulfonylureas in soil and water 692(1995)27
Gardana, C., see Pace, M. 691(1995)331
Geiser, F.O., see Ricker, R.D. 691(1995)67
Gilpin, R.K., see Czajkowska, T. 691(1995)217
Greenblatt, H.C., see Hofman, Y.L. 692(1995)233
Grogg-Sulser, K., Helmlin, H.-J. and Clerc, J.-T.
Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121
Grushka, E., see Mizrotsky, N. 691(1995)21
Haddix, H., see Woolf, E. 692(1995)45
Hadjmohammadi, M., see Ye, B. 692(1995)291
Hagen, S.R. and Thompson, J.D.
Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167
Hardcastle, J.E., He, M., Begum, B. and Vermillion-Salsbury, R.
Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B_4 and prostaglandin B_2 691(1995)225
Hayes, F.J., Baker, T.R., Dobson, R.L.M. and Tsueda, M.S.
Rapid liquid chromatographic–mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73
He, M., see Hardcastle, J.E. 691(1995)225
Hearn, M.T.W., see Mao, Q.-M. 691(1995)273
Hearn, M.T.W., see Xie, J. 691(1995)263
Hedenmo, M. and Eriksson, B.-M.
Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161
Helmlin, H.-J., see Grogg-Sulser, K. 692(1995)121
Hermanson, G.T., Mattson, G.R. and Krohn, R.I.
Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113
Hofman, Y.L., Petrillo, K.L., Greenblatt, H.C., Lehrer, R. and Payne, M.S.
Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233
Hrabovsky, I., see Czajkowska, T. 691(1995)217
Hsu, M.-C., Lin, Y.-S. and Chung, H.-C.
High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67
Huang, C.-Y., see Lee, Y.-C. 692(1995)137
Hyun, M.H., Ryoo, J.-J., Cho, Y.J. and Jin, J.S.
Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π-donor analytes on a π-donor chiral stationary phase 692(1995)91
Itoh, K., see Jinno, K. 691(1995)91
Jaroniec, M., see Czajkowska, T. 691(1995)217
Jin, J.S., see Hyun, M.H. 692(1995)91
Jinno, K., Nakagawa, K., Saito, Y., Ohta, H., Nagashima, H., Itoh, K., Archer, J. and Chen, Y.-L.
Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91
Johansen, S.S., see Rastogi, S.C. 692(1995)53
Justice, J.D., see Ricker, R.D. 691(1995)67
Kaliszan, R., see Nasal, A. 692(1995)83
Kato, Y., see Moriyama, H. 691(1995)81
Kempe, M. and Mosbach, K.
Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317
Khaledi, M.G., see Quang, C. 692(1995)253
Khaledi, M.G., see Yang, S. 692(1995)301
Khaledi, M.G., see Yang, S. 692(1995)311
Khaledi, M.G., see Ye, B. 692(1995)291
Khalifa, M., see Schmeer, K. 691(1995)285
Kirkland, J.J., Van Straten, M.A. and Claessens, H.A.
High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3
Komiya, K., see Moriyama, H. 691(1995)81
Koves, E.M.
Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103
Kristol, L., see Mizrotsky, N. 691(1995)21
Krohn, R.I., see Hermanson, G.T. 691(1995)113
Lai, F. and White, L.
Automated precolumn concentration and high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in water using a single pump and a single valve 692(1995)11
Larew, L.A., Olsen, B.A., Stafford, J.D. and Wilhelm, M.V.
Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183
Larrousse, M., see Capparella, M. 691(1995)141
Lee, H.K., see Ong, C.P. 692(1995)207
Lee, Y.-C., Huang, C.-Y., Wen, K.-C. and Suen, T.-T.
Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wuu-Ji-San by high-performance liquid chromatography 692(1995)137
Lehrer, R., see Hofman, Y.L. 692(1995)233
Lemoine, Y., see Schoefs, B. 692(1995)239
Lensmeyer, G.L., Onsager, C., Carlson, I.H. and Wiebe, D.A.
Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239
Li, S.F.Y., see Ong, C.P. 692(1995)207
Lima III, L.R. and Synovec, R.E.
Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195
Lin, Y.-S., see Hsu, M.-C. 692(1995)67

Long, T.E., see Schunk, T.C. 692(1995)221
Lukulay, P.H. and McGuffin, V.L.
Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171
Lunte, C.E., see Chen, A. 691(1995)29
Mao, Q.-M., Prince, I.G. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
Mattson, G.R., see Hermanson, G.T. 691(1995)113
Matuszewski, B., see Woolf, E. 692(1995)45
Mauri, P.L., see Pace, M. 691(1995)331
McGuffin, V.L., see Lukulay, P.H. 691(1995)171
Metzger, W., see Reif, K. 692(1995)131
Mizrotsky, N., Kristol, L. and Grushka, E.
Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21
Molnár-Perl, I., see Schmeer, K. 691(1995)285
Moore, B.J., see Chong, R.W. 692(1995)203
Moriyama, H., Anegayama, M., Komiya, K. and Kato, Y.
Characterization of a new reversed-phase chromatographic column on a 2-μm porous microspherical silica gel 691(1995)81
Mosbach, K., see Kempe, M. 691(1995)317
Mosbach, K., see Nicholls, I.A. 691(1995)349
Nagashima, H., see Jinno, K. 691(1995)91
Nakagawa, K., see Jinno, K. 691(1995)91
Nasal, A., Sznitowska, M., Buciński, A. and Kaliszan, R.
Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83
Ng, C.L., see Ong, C.P. 692(1995)207
Nicholls, I.A., Ramström, O. and Mosbach, K.
Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349
Oehrle, S.A. and Bossle, P.C.
Analysis of nerve agent degradation products using capillary ion electrophoresis 692(1995)247
Ohta, H., see Jinno, K. 691(1995)91
Olesik, S.V., see Cui, Y. 691(1995)151
Olsen, B.A. and Sullivan, G.R.
Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147
Olsen, B.A., see Larew, L.A. 692(1995)183
Ong, C.P., Chow, K.K., Ng, C.L., Ong, F.M., Lee, H.K. and Li, S.F.Y.
Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207
Ong, F.M., see Ong, C.P. 692(1995)207
Onsager, C., see Lensmeyer, G.L. 691(1995)239
Pace, M., Agnellini, D., Gardana, C., Mauri, P.L. and Pietta, P.G.
High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331
Patonay, G., see Pullen, R.H. 691(1995)187
Payne, M.S., see Hofman, Y.L. 692(1995)233
Petrillo, K.L., see Hofman, Y.L. 692(1995)233
Phillips, D.J., see Capparella, M. 691(1995)141
Pietta, P.G., see Pace, M. 691(1995)331
Pomfret, A., see Capparella, M. 691(1995)141
Ponder, G.W., Butram, S.L., Adams, A.G., Ramanathan, C.S. and Stewart, J.T.
Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173
Prince, I.G., see Mao, Q.-M. 691(1995)273
Pullen, R.H., Brennan, J.J. and Patonay, G.
Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187
Quang, C. and Khaledi, M.G.
Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253
Ramanathan, C.S., see Ponder, G.W. 692(1995)173
Ramström, O., see Nicholls, I.A. 691(1995)349
Rastogi, S.C. and Johansen, S.S.
Comparison of high-performance liquid chromatographic methods for the determination of 1,2-dibromo-2,4-dicyanobutane in cosmetic products 692(1995)53
Ravindranath, Y., see Stout, M.L. 692(1995)59
Reif, K. and Metzger, W.
Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131
Ricker, R.D., Sandoval, L.A., Justice, J.D. and Geiser, F.O.
Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67
Rosenfeld, J.M. and Fang, X.
Simultaneous sorption and analytical derivatization on a polystyrene–divinylbenzene polymer. Preparation of chromophoric and fluorophoric derivatives of the prostaglandins 691(1995)231
Ryoo, J.-J., see Hyun, M.H. 692(1995)91
Saito, Y., see Jinno, K. 691(1995)91
Sandoval, L.A., see Ricker, R.D. 691(1995)67
Schepky, A.G., Schulz-Knappe, P. and Forssmann, W.-G.
High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255
Schmeer, K., Khalifa, M., Császár, J., Farkas, G., Bayer, E. and Molnár-Perl, I.
Compositional analysis of the phenylthiocarbamyl amino acids by liquid chromatography–atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285
Schmidt, L.W., see Fritz, J.S. 691(1995)133
Schoefs, B., Bertrand, M. and Lemoine, Y.
Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239

Schulz-Knappe, P., see Schepky, A.G. 691(1995)255
Schunk, T.C. and Long, T.E.
Compositional distribution characterization of poly(methyl methacrylate)–graft-polydimethylsiloxane copolymers 692(1995)221
Shelly, D.C., see Abbas, A.A. 691(1995)37
Shelly, D.C., see Siddiqui, A. 691(1995)55
Shephard, G.S., Thiel, P.G. and Sydenham, E.W.
Liquid chromatographic determination of the mycotoxin fumonisin B_2 in physiological samples 692(1995)39
Siddiqui, A. and Shelly, D.C.
Amperostatic–potentiometric detection for micro high-performance liquid chromatography 691(1995)55
Simpson, R.C.
Modification of a conventional high-performance liquid chromatography autoinjector for use with capillary liquid chromatography 691(1995)163
Slegers, G., see De Vos, F. 692(1995)97
Smith, L.L., see Teng, J.I. 691(1995)247
Stafford, J.D., see Larew, L.A. 692(1995)183
Stewart, J.T., see Ponder, G.W. 692(1995)173
Stout, M.L. and Ravindranath, Y.
Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1-β-D-arabinofuranosylcytosine in pediatric pharmacokinetic analysis 692(1995)59
Suen, T.-T., see Lee, Y.-C. 692(1995)137
Sullivan, G.R., see Olsen, B.A. 692(1995)147
Sydenham, E.W., see Shephard, G.S. 692(1995)39
Synovec, R.E., see Lima III, L.R. 691(1995)195
Sznitowska, M., see Nasal, A. 692(1995)83
Teng, J.I. and Smith, L.L.
High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^4-3-ketone derivatives 691(1995)247
Thiel, P.G., see Shephard, G.S. 692(1995)39
Thompson, J.D., see Hagen, S.R. 692(1995)167
Tsueda, M.S., see Hayes, F.J. 692(1995)73
Tuvim, Y., see Capparella, M. 691(1995)141
Van Straten, M.A., see Kirkland, J.J. 691(1995)3
Vermillion-Salsbury, R., see Hardcastle, J.E. 691(1995)225
Vigh, Gy., see Biggin, M.E. 692(1995)319
Vigh, Gy., see Camacho-Torralba, P.L. 691(1995)213
Walker, D.G., see Boyes, B.E. 691(1995)337
Weber, S.G., see Chen, J.-G. 691(1995)301
Weber, T.P., see Whitman, D.A. 691(1995)205
Wen, K.-C., see Lee, Y.-C. 692(1995)137
White, L.B., see Wu, R. 692(1995)1
White, L., see Lai, F. 692(1995)11
Whitman, D.A., Weber, T.P. and Blackwell, J.A.
Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205
Wiebe, D.A., see Lensmeyer, G.L. 691(1995)239
Wiley, J.P.
Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267
Wilhelm, M.V., see Larew, L.A. 692(1995)183
Williams, R.L., see Biggin, M.E. 692(1995)319
Woltman, S.J., see Chen, J.-G. 691(1995)301
Woolf, E., Au, T., Haddix, H. and Matuszewski, B.
Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45
Wu, R. and White, L.B.
Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1
Xie, J., Aguilar, M.-I. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263
Yang, S. and Khaledi, M.G.
Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301
Yang, S. and Khaledi, M.G.
Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311
Ye, B., Hadjmohammadi, M. and Khaledi, M.G.
Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon–hydrocarbon anionic surfactants 692(1995)291